UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/520,697	04/05/2005	Sandra Hintz	5003073.059US1	9659	
	7590 03/17/201 E LEATHERWOOD I	EXAMINER			
P.O. BOX 2192	7	GODENSCHWAGER, PETER F			
GREENSBORO, NC 27420			ART UNIT	PAPER NUMBER	
			1796		
		NOTIFICATION DATE	DELIVERY MODE		
			03/17/2010	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

phil.mccann@smithmoorelaw.com lorna.selvaggio@smithmoorelaw.com mary.garner@smithmoorelaw.com

Office Action Summary		,	Application No.	Applicant(s)				
			10/520,697	HINTZ ET AL.				
			Examiner	Art Unit				
			PETER F. GODENSCHWAGER	1796				
Period fo	The MAILING DATE of this communic or Reply	cation appea	ars on the cover sheet with the c	orrespondence ad	ddress			
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAN IS IN 1997. THE MAN IS IN 1997 IN 1997. THE MAN IS IN 1997. THE MA	AILING DAT f 37 CFR 1.1360 nication. utory period will rill, by statute, ca	TE OF THIS COMMUNICATION (a). In no event, however, may a reply be tin apply and will expire SIX (6) MONTHS from ause the application to become ABANDONE	N. nely filed the mailing date of this of (35 U.S.C. § 133).				
Status								
1) 🛛	Responsive to communication(s) filed	l on <i>11 Jan</i>	uary 2010.					
	This action is FINAL . 2b) ☐ This action is non-final.							
3)	Since this application is in condition for	or allowand	e except for formal matters, pro	secution as to the	e merits is			
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🛛	Claim(s) 20-35 is/are pending in the a	application.						
•	4a) Of the above claim(s) is/are withdrawn from consideration.							
	5) Claim(s) is/are allowed.							
6)🖂	Claim(s) <u>20-35</u> is/are rejected.							
	Claim(s) is/are objected to.							
8)	Claim(s) are subject to restricti	ion and/or e	election requirement.					
Applicati	on Papers							
9) 🗆 .	The specification is objected to by the	Examiner						
-	-		oted or b) objected to by the f	Examiner.				
. • / 🗀	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including t				FR 1.121(d).			
11)	The oath or declaration is objected to		• • • • • • • • • • • • • • • • • • • •		, ,			
·	inder 35 U.S.C. § 119							
	_	or foreian n	riority under 35 H.S.C. & 119(a)	-(d) or (f)				
· .	12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:							
<i>د.</i>	a)							
	2. ☐ Certified copies of the priority documents have been received in Application No							
	3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage							
	application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.								
			·					
Attachmen	t(s)							
	e of References Cited (PTO-892)		4) Interview Summary	(PTO-413)				
2) Notic	e of Draftsperson's Patent Drawing Review (PT	O-948)	Paper No(s)/Mail Da	ate				
-	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date		5) Notice of Informal P 6) Other:	atent Application				

DETAILED ACTION

Applicant's reply filed January 11, 2010 has been fully considered. Claim 20 is amended, claims 25-35 are new, and claims 20-35 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 20, 21, 24, 31, 34, and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Qin et al. (US Pat. No. 5,985,434) in view of Eagles et al. (US Pat. No. 5,840,777).

Application/Control Number: 10/520,697

Art Unit: 1796

Page 3

Regarding Claim 20: Qin et al. teaches a process of preparing a water-absorbent foam by forming an aqueous composition/solution in which a soluble polymer is dissolved in a solvent comprising at least 30 weight percent water (3:3-29 and 10:1-28). The soluble polymer may be, for example, polyacrylic acid (3:37-67). The solution may further comprise a crosslinking agent and optional components, such as surfactants (6:63-7:3; 10:36-38). A blowing agent is also added to the solution and subsequently initiated to form an absorbent foam (10:1-7). Qin et al. further teaches that substantially all of the solvent/water trapped in the foam should be removed (adjusting the content of water) (13:57-14:5). The recovered foam may subsequently undergo a further treatment in which the polymer is heated to a temperature between about 50°C to about 250°C to achieve a desired degree of crosslinking (14-33-55).

Qin et al. does not explicitly teach that the foam comprises less than 15% by weight of water. However, it is common practice in the art to optimize the relative amounts of result effective variables such as water/solvent content of an absorbent foam (see MPEP 2144.05). At the time of the invention, a person of ordinary skill in the art would have found it obvious to adjust the water content of the absorbent foam to less than 15% by weight and would have been motivated to do so because Qin et al. teaches that substantially all of the solvent/water trapped in the foam should be removed (13:57-14:5). Furthermore, Qin et al. teaches that the resultant foam should be between 95-100% by weight polymer, and that while insubstantial amounts of solvent/water may be present, the presence of any materials in the absorbent foam that are not the water-swellable, water-insoluble polymer will tend to reduce the overall liquid absorbency capacity of the absorbent foam (4:28-55). Therefore one of ordinary skill in the art would be

Art Unit: 1796

motivated to reduce the amount of water/solvent to as close to 0% by weight as possible in order to maximize the absorbency of the foam.

Qin et al. does not teach that the foaming of the aqueous composition is by mechanical action. However, Eagles et al. teaches a method of forming an absorbent foam where the foam is mechanically foamed (foamed by mechanical action) (abstract, 1:5-15, and 2:40-65). Qin et al. and Eagles et al. are analogous art because they are concerned with the same field of endeavor, namely methods of making absorbent foams that my comprise polysaccharides. At the time of the invention, a person of ordinary skill in the art would have found it obvious to use the mechanical action foaming step of Eagles et al. in the process of Qin et al. and would have been motivated to do so because Eagles teaches that the mechanical action is a suitable foaming method for producing absorbent articles, and that the violence and/or period of agitation allows for control over foam pore size (1:5-15 and 2:40-65). Furthermore, Qin et al. teaches that foam pore size is important (8:55-65) and that other methods of foaming may be used (13:25-40).

Regarding Claim 21: Qin et al. teaches the process of claim 20 wherein the polymer of the aqueous composition has a molecular weight of greater than about 10,000 g/mol (4:19-27).

Regarding Claim 24: Qin et al. teaches a water-absorbent, foam-type polymer structure prepared from the process of claim 1 (3:3-29).

Regarding Claim 31: Qin et al. teach a disposable absorbent composite product (chemical product) comprising the absorbent structure of claim 24 (15:50-65)

Regarding Claims 34 and 35: Qin et al. teaches a disposable absorbent composite product (chemical product) comprising the absorbent structure of claim 24 positioned between a liquid-permeable top sheet and a back sheet (15:50-65).

Application/Control Number: 10/520,697

Art Unit: 1796

Claims 22, 25, 26, 28-30, and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Qin et al. (US Pat. No. 5,985,434) in view of Eagles et al. (US Pat. No. 5,840,777) as applied to claim 20 above, and further in view of Hänhle et al. (Intl. Pub. No. WO 00/52087, English language equivalent US Pat. No. 6,750,262 used for citation purposes).

Qin et al. in view of Eagles et al. render obvious the process of claim 20 as set forth above.

Regarding Claim 22: Qin et al. is silent regarding the foam liter weight of the final composition. However, Hähnle et al. also teach an absorbent foam prepared with a density preferably in the range of 0.05 to 0.5 g/cm³ (50 – 500 g/l) (17:61-62). At the time of invention, it would have been obvious to a person of ordinary skill in the art to add a blowing agent to the solution taught by Qin et al. such that the density of the foam product would fall in the range taught by Hänhle et al. The motivation would have been that absorbent foams with a density in the range taught by Hänhle et al. would be useful in applications such as hygiene articles (Hänhle et al. 19:7-14).

Regarding Claims 25, 26, and 30: Qin et al. in view of Eagles et al. renders obvious the process of Claim 20 including the step of heating the foam to cross-link and adjusting the water content to not more than about 15% by weight as set forth above.

Qin et al. does not expressly teach the process where the foamed composition is brought into contact with substrate and then heated to a temperature of from about 50 to about 300°C. However, Hänhle et al. also teach a composite wherein an absorbent foam is applied to a substrate, such as a sheet composed of polymers, metals, non-wovens, fluff, tissues, woven

Application/Control Number: 10/520,697 Page 6

Art Unit: 1796

fabric, natural or synthetic fibers, or other foams (13:13-40). The composite then undergoes a heat-treatment at a temperature in the range of 20 to 180°C (13:38-40, 60-62). According to Qin et al., heat-treating the polymer foam at a temperature between about 50 to 250°C will initiate crosslinking (14:53-55). The polymeric foam may be immobilized on the substrate, for example when the two are joined together as a composite with a sandwich-like structure (Hänhle et al. 13:31-37). At the time of invention, it would have been obvious to a person of ordinary skill in the art to use the process taught by Hänhle et al. to form the composite taught by Qin et al. The motivation would have been that process taught by Hänhle et al. is useful in preparing composite materials suitable as diapers, sanitary towels, etc. (Hänhle et al.: 19:7-14).

Regarding Claims 28, 29, and 32: Qin et al. in view of Eagles et al. renders obvious the process of Claim 20 as set forth above.

Qin et al. does not teach the process where a portion of the surface of the water-absorbent foam structure is brought into contact with a portion of the surface of the substrate and immobilized upon it. However, Hänhle et al. also teach a composite wherein an absorbent foam is applied to a substrate, such as a sheet composed of thermoplastic polymers such as polyethylene or polypropylene (13:15-18, 31-40). At the time of invention, it would have been obvious to a person of ordinary skill in the art to use the process taught by Hänhle et al. to form the composite taught by Qin et al. The motivation would have been that process taught by Hänhle et al. is useful in preparing composite materials suitable as diapers, sanitary towels, etc. (Hänhle et al.: 19:7-14).

Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Qin et al. (US Pat. No. 5,985,434) in view of Eagles et al. (US Pat. No. 5,840,777) as applied to claim 20 above, and further in view of Ishizaki et al. (US Pat. No. 6,001,911).

Qin et al. in view of Eagles et al. render obvious the process of claim 20 as set forth above.

Qin et al. do not expressly disclose a step in which the structure is smoothed. However, Ishizaki et al. also teach a method of making an absorbent resin in which a crosslinked polymer composition is prepared and then calendared, so that the resultant absorbent product has at least one smooth surface (Abstract). Qin et al and Ishizaki et al. are analogous art as they are from the same field of endeavor, namely absorbent polymeric compositions. At the time of invention, it would have been obvious to a person of ordinary skill in the art to smooth the foam taught by Qin et al. The motivation would have been that a foam with a smoothed surface would provide advantages such as comfort to the wearer of an article, for example a diaper, containing this foam.

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Qin et al. (US Pat. No. 5,985,434) in view of Eagles et al. (US Pat. No. 5,840,777) and Hänhle et al. (Intl. Pub. No. WO 00/52087, English language equivalent US Pat. No. 6,750,262 used for citation purposes) as applied to claim 25 above, and further in view of Brueggemann et al. (US Pat. No. 6,033,769).

Qin et al. in view of Eagles et al. and Hänhle et al. render obvious the process of claim 25 as set forth above.

Art Unit: 1796

Qin et al. teach a process for preparing a composite but do not expressly disclose that templates are used during the application of the polymeric foam to a substrate. However, Brueggemann et al. also disclose a method for preparing a water-absorbent polymeric foam and then applying it to a substrate using a template (3:41-49). Qin et al. and Brueggemann et al. are analogous art as they are from the same field of endeavor, namely water-absorbent polymeric foams. At the time of invention, it would have been obvious to a person of ordinary skill in the art to use templates to form the foam composition taught by Qin et al. to a substrate. The motivation would been that the templates would be useful in applying the foam only within a specified area on the substrate (Brueggemann et al, 3:41-49).

Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Qin et al. (US Pat. No. 5,985,434) in view of Eagles et al. (US Pat. No. 5,840,777 as applied to claim 20 above, and further in view of Chen et al. (US Pub. No. 2001/0024716).

Qin et al. in view of Eagles et al. render obvious the process of claim 20 as set forth above.

Qin et al. does not expressly teach that one or more of the blowing agents is selected from inorganic salts or organic compounds capable of decarboxylation. However, Chen et al. also teach an absorbent foam wherein the blowing agent used to prepare the foam may be a citric acid mixture ([0149]). Qin et al. and Chen et al. are analogous art as they are from the same field of endeavor, namely water-absorbent foams. At the time of invention, it would have been obvious to a person of ordinary skill in the art to use citric acid as a blowing agent in the foam taught by Qin et al. The motivation would have been that citric acid as a blowing agent provides

Art Unit: 1796

advantages such as promoting both expansion and crosslinking of fiber additives in a foamable composition (Chen et al.: [0112]).

Response to Arguments

Applicant has presented no new arguments in the reply filed January 11, 2010 regarding the instant claims.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Application/Control Number: 10/520,697 Page 10

Art Unit: 1796

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PETER F. GODENSCHWAGER whose telephone number is (571)270-3302. The examiner can normally be reached on Monday-Friday 7:30-5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Eashoo can be reached on (571) 272-1197. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mark Eashoo/ /P. F. G./

Supervisory Patent Examiner, Art Unit 1796 Examiner, Art Unit 1796